

Клапаны одношпиндельные с ключом JV-202-00

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: ahq@nt-rt.ru || сайт: <https://asha.nt-rt.ru>

Key Operated Single Spindle (JV-202-00) Valves



Acetylene valve (key operated) single spindle (JV-202-00)
Outlet No. 2

Acetylene valve (key operated) single spindle (JV-202-00) is key-operated valve features a durable High Tensile Brass body and a gland packing teflon washer leakage control. Ideal for industrial and commercial applications, it ensures reliable and efficient performance.

- **Gas Service:** Acetylene
- **Key Operated:** Key Operated

Features

- **Oxygen valve (key operated) single spindle (JV-202-00):** HT brass
- **Gland nut:** Free cutting brass
- **Spindle:** Speed Spindle
- **Gland Packing:** Teflon
- **Washer:** MS (Zn Plated)
- **Hand Wheel:** Al. Alloy/ABS
- **Hex Nut:** MS (Zn Plated)



Butadiene valve (key operated) single spindle (JV-202-00)
Outlet No. 2

Butadiene valve (key operated) single spindle (JV-202-00) is key-operated valve features a durable High Tensile Brass

body and a gland packing teflon washer leakage control. Ideal for industrial and commercial applications, it ensures reliable and efficient performance.

-
- **Gas Service:** Butadiene
- **Key Operated:** Key Operated

Features

- **Oxygen valve (key operated) single spindle (JV-202-00):** HT brass
- **Gland nut:** Free cutting brass
- **Spindle:** Speed Spindle
- **Gland Packing:** Teflon
- **Washer:** MS (Zn Plated)
- **Hand Wheel:** Al. Alloy/ABS
- **Hex Nut:** MS (Zn Plated)



Carbon Monoxide valve (key operated) single spindle (JV-202-00)

arbon Monoxide valve (key operated) single spindle (JV-202-00) is key-operated valve features a durable High Tensile Brass body and a Nylon (PA6) soft seat for precise Carbon Monoxide flow control. Ideal for industrial and commercial applications, it ensures reliable and efficient performance.

- **Gas Service:** Carbon Monoxide
- **Key Operated:** Key Operated

Features

- **Oxygen valve (key operated) single spindle (JV-202-00):** HT brass
- **Gland nut:** Free cutting brass
- **Spindle:** Speed Spindle
- **Gland Packing:** Teflon
- **Soft Seat:** Nylon (PA6)
- **Washer:** MS (Zn Plated)
- **Hand Wheel:** Al. Alloy/ABS

- **Hex Nut:** MS (Zn Plated)



Methane valve (key operated) single spindle (JV-202-00)

Methane valve (key operated) single spindle (JV-202-00) is key-operated valve features a durable High Tensile Brass body and a Nylon (PA6) soft seat for precise Methane flow control. Ideal for industrial and commercial applications, it ensures reliable and efficient performance.

-
- **Gas Service:** Methane
- **Key Operated:** Key Operated

Features

- **Oxygen valve (key operated) single spindle (JV-202-00):** HT brass
- **Gland nut:** Free cutting brass
- **Spindle:** Speed Spindle
- **Gland Packing:** Teflon
- **Soft Seat:** Nylon (PA6)
- **Washer:** MS (Zn Plated)
- **Hand Wheel:** Al. Alloy/ABS
- **Hex Nut:** MS (Zn Plated)



Ethylene valve (key operated) single spindle (JV-202-00)

Ethylene valve (key operated) single spindle (JV-202-00) is key-operated valve features a durable High Tensile Brass

body and a Nylon (PA6) soft seat for precise Ethylene flow control. Ideal for industrial and commercial applications, it ensures reliable and efficient performance.

- **Gas Service:** Ethylene
- **Key Operated:** Key Operated

Features

- **Oxygen valve (key operated) single spindle (JV-202-00):** HT brass
- **Gland nut:** Free cutting brass
- **Spindle:** Speed Spindle
- **Gland Packing:** Teflon
- **Soft Seat:** Nylon (PA6)
- **Washer:** MS (Zn Plated)
- **Hand Wheel:** Al. Alloy/ABS
- **Hex Nut:** MS (Zn Plated)



Coal gas valve (key operated) single spindle (JV-202-00)

-
- **Gas Service:** Coal gas
- **Key Operated:** Key Operated

Features

- **Oxygen valve (key operated) single spindle (JV-202-00):** HT brass
- **Gland nut:** Free cutting brass
- **Spindle:** Speed Spindle
- **Gland Packing:** Teflon
- **Soft Seat:** Nylon (PA6)
- **Washer:** MS (Zn Plated)
- **Hand Wheel:** Al. Alloy/ABS
- **Hex Nut:** MS (Zn Plated)



Dimethyl Ether valve (key operated) single spindle (JV-202-00)

- **Gas Service:** Dimethyl Ether
- **Key Operated:** Key Operated

Features

- **Oxygen valve (key operated) single spindle (JV-202-00):** HT brass
- **Gland nut:** Free cutting brass
- **Spindle:** Speed Spindle
- **Gland Packing:** Teflon
- **Soft Seat:** Nylon (PA6)
- **Washer:** MS (Zn Plated)
- **Hand Wheel:** Al. Alloy/ABS
- **Hex Nut:** MS (Zn Plated)



Isobutylene valve (key operated) single spindle (JV-202-00)

Isobutylene valve (key operated) single spindle (JV-202-00) is key-operated valve features a durable High Tensile Brass body and a Nylon (PA6) soft seat for precise Isobutylene flow control. Ideal for industrial and commercial applications, it ensures reliable and efficient performance.

-
- **Gas Service:** Isobutylene
- **Key Operated:** Key Operated

Features

- **Oxygen valve (key operated) single spindle (JV-202-00):** HT brass

- **Gland nut:** Free cutting brass
- **Spindle:** Speed Spindle
- **Gland Packing:** Teflon
- **Soft Seat:** Nylon (PA6)
- **Washer:** MS (Zn Plated)
- **Hand Wheel:** Al. Alloy/ABS
- **Hex Nut:** MS (Zn Plated)



Medical oxygen valve (key operated) single spindle (JV-202-00)

Medical oxygen valve (key operated) single spindle (JV-202-00) is key-operated valve features a durable High Tensile Brass body and a Nylon (PA6) soft seat for precise O₂ flow control. Ideal for industrial and commercial applications, it ensures reliable and efficient performance.

- **Gas Service:** O₂ (Oxygen)
- **Key Operated:** Key Operated

Features

- **Oxygen valve (key operated) single spindle (JV-202-00):** HT brass
- **Gland nut:** Free cutting brass
- **Spindle:** Speed Spindle
- **Gland Packing:** Teflon
- **Soft Seat:** Nylon (PA6)
- **Washer:** MS (Zn Plated)
- **Hand Wheel:** Al. Alloy/ABS
- **Hex Nut:** MS (Zn Plated)



Air valve (key operated) single spindle (JV-202-00)

Air valve (key operated) single spindle (JV-202-00) is key-operated valve features a durable High Tensile Brass body and a Nylon (PA6) soft seat for precise Helium flow control. Ideal for industrial and commercial applications, it ensures reliable and efficient performance.

-
- **Gas Service:** Air
- **Key Operated:** Key Operated

Features

- **Oxygen valve (key operated) single spindle (JV-202-00):** HT brass
- **Gland nut:** Free cutting brass
- **Spindle:** Speed Spindle
- **Gland Packing:** Teflon
- **Soft Seat:** Nylon (PA6)
- **Washer:** MS (Zn Plated)
- **Hand Wheel:** Al. Alloy/ABS
- **Hex Nut:** MS (Zn Plated)



Argon valve (key operated) single spindle (JV-202-00)

Argon valve (key operated) single spindle (JV-202-00) is key-operated valve features a durable High Tensile Brass body and a Nylon (PA6) soft seat for precise Argon flow control. Ideal for industrial and commercial applications, it ensures reliable and efficient performance.

- **Gas Service:** O₂ (Oxygen)

- **Key Operated:** Key Operated

Features

- **Oxygen valve (key operated) single spindle (JV-202-00):** HT brass
- **Gland nut:** Free cutting brass
- **Spindle:** Speed Spindle
- **Gland Packing:** Teflon
- **Soft Seat:** Nylon (PA6)
- **Washer:** MS (Zn Plated)
- **Hand Wheel:** Al. Alloy/ABS
- **Hex Nut:** MS (Zn Plated)



Nitrogen valve (key operated) single spindle (JV-202-00)

Nitrogen valve (key operated) single spindle (JV-202-00) is key-operated valve features a durable High Tensile Brass body and a Nylon (PA6) soft seat for precise N₂ flow control. Ideal for industrial and commercial applications, it ensures reliable and efficient performance.

- **Gas Service:** O₂ (Oxygen)
- **Key Operated:** Key Operated

Features

- **Oxygen valve (key operated) single spindle (JV-202-00):** HT brass
- **Gland nut:** Free cutting brass
- **Spindle:** Speed Spindle
- **Gland Packing:** Teflon
- **Soft Seat:** Nylon (PA6)
- **Washer:** MS (Zn Plated)
- **Hand Wheel:** Al. Alloy/ABS
- **Hex Nut:** MS (Zn Plated)



Hydrogen valve (key operated) single spindle (JV-202-00)

Hydrogen valve (key operated) single spindle (JV-202-00) is key-operated valve features a durable High Tensile Brass body and a Nylon (PA6) soft seat for precise Hydrogen flow control. Ideal for industrial and commercial applications, it ensures reliable and efficient performance.



Helium valve (key operated) single spindle (JV-202-00)

Helium valve (key operated) single spindle (JV-202-00) is key-operated valve features a durable High Tensile Brass body and a Nylon (PA6) soft seat for precise Helium flow control. Ideal for industrial and commercial applications, it ensures reliable and efficient performance.



Neon valve (key operated) single spindle (JV-202-00)

Neon valve (key operated) single spindle (JV-202-00) is key-operated valve features a durable High Tensile Brass body and a Nylon (PA6) soft seat for precise Neon flow control. Ideal for industrial and commercial applications, it ensures reliable and efficient performance.



Krypton valve (key operated) single spindle (JV-202-00)

Krypton valve (key operated) single spindle (JV-202-00) is key-operated valve features a durable High Tensile Brass body and a Nylon (PA6) soft seat for precise Krypton flow control. Ideal for industrial and commercial applications, it ensures reliable and efficient performance.



Xenon valve (key operated) single spindle (JV-202-00)

Xenon valve (key operated) single spindle (JV-202-00) is key-operated valve features a durable High Tensile Brass body and a Nylon (PA6) soft seat for precise Xenon flow control. Ideal for industrial and commercial applications, it ensures reliable and efficient performance.



Oxygen valve (key operated) single spindle (JV-202-00)

Oxygen valve (key operated) single spindle (JV-202-00) is key-operated valve features a durable High Tensile Brass body and a Nylon (PA66) soft seat for precise O₂ flow control. Ideal for industrial and commercial applications, it ensures reliable and efficient performance.

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: ahq@nt-rt.ru || сайт: <https://asha.nt-rt.ru>